

GAC™ 2700-AGRI

Moisture Tester for Coffee Beans

CAMBUT

AG ELECTRONICS

Introducing the GAC™ 2700-AGRI GET ACCURATE, RAPID RESULTS EVERYTIME

DICKEY-john® is pleased to offer the GAC™ 2700-AGRI moisture analyzer to the coffee industry. The GAC 2700-AGRI can measure harvested, wholesaled, or roasted coffee beans. The tester provides accurate data you need in order to achieve optimum profitability for your operation. Moisture and temperature are provided for both standalone instrument or integrated system software solutions. Easy-to-use touchscreen interface and quick measurement times keeps your operation running efficiently providing a strong return on your investment.



Features and Benefits:

- Utilizes 149 MHz technology, developed by the USDA
- 20-second analysis time
- Integrated system software solution capabilities
- Large 7" touch screen display for greater visibility and responsiveness
- Improved processing provides shorter analysis time allowing more samples to be run during your busiest seasons
- Modern, intuitive operator interface simplifies training and daily operation
- Storage capacity for 3,000+ results
- Multiple USB ports on the front and back of the unit for software upgrades, USB devices, printer and peripherals
- Bar code scanner capability to expedite processing time
- Ergonomically designed drawer handle reduces operator fatigue



DICKEY-john®
A DIVISION OF TSI®

Cambut AG Electronics

6/139 Sandgate Road
Albion QLD 4010 AUSTRALIA
Phone: +61 7 3391 8766
WhatsApp: +60 17 916 3579
email: apac@cambut.com.au
Web: www.cambut.com.au

www.cambut.com.au

GAC™ 2700-AGRI

Moisture Tester for Coffee Beans

Calibrations:

With the rich experience in the industry, DICKEY-john® understands the need to tailor the requirements of your region and operation based on the specific application. This is why the GAC™ 2700-AGRI is designed with a robust set of standard calibrations and supported with expandable options.

- Lowest legal temperatures, up to 20% moisture at -20° C
- Highest moisture limit with unofficial hot grain calibrations
- Custom calibrations available for your specific coffee type and roasting process
- Best-in-class support backed by DICKEY-john's calibration laboratories
- Convenient, easy-to-download calibrations available on www.dickey-john.com
- Custom calibration development available for unique crop and region attributes

Specifications

Operating Temperature	2 to 45°C
Power	110/220V, 50/60 Hz, 30/35 VA
Humidity	20 to 90% non-condensing
Grain Temperature	-20° to +45°C depending on grain calibrations
Storage/transit	-20 to +60°C
Temperature Moisture Range	5 to 45% (grain dependent)
Range	11.43 kg
Approximate Weight	43.18cm H x 48.26cm W x
Approximate Dimensions	35.56 cm D English
Languages	Green Coffee: 2-18%
Moisture Ranges	Roasted Coffee: 0-8%

Backed by the power of DICKEY-john:

When you buy a DICKEY-john GAC™ 2700-AGRI you get all the dependability and value you expect from DICKEY-john® products. Like all DICKEY-john products, the GAC 2700-AGRI is designed and manufactured in the USA, and supported worldwide.



Intuitive Color Touchscreen



Multiple Back USB Ports



Easy-to-Read Results Screen



www.cambut.com.au



6/139 Sandgate Road
Albion QLD 4010 AUSTRALIA
Phone: +61 7 3391 8766
WhatsApp: +60 17 916 3579
email: apac@cambut.com.au
Web: www.cambut.com.au

DICKEY-john, the DICKEY-john Logo are registered trademarks of TSI Incorporated in the United States and may be protected under other country's trademark registrations.